

When Do Children and Teens Need Vaccinations?

Age	HepB Hepatitis B	DTaP/Tdap Diphtheria, tetanus, pertussis (whooping cough)	Hib <i>Haemophilus influenzae</i> type b	IPV Polio	PCV Pneumococ- cal conjugate	RV Rotavirus	MMR Measles, mumps, rubella	Vari- cella Chickenpox	HepA Hepatitis A	COVID-19	Dengue	HPV Human papillomavirus	Men- ACWY		MenB	Influenza Flu	
													Meningococcal				
at Birth (within 24 hours of birth)	✓																
2 months	✓	✓	✓	✓	✓	✓											
4 months	✓ ¹	✓	✓	✓	✓	✓											
6 months	✓	✓	✓ ¹	✓	✓	✓ ¹											
12 months	✓ (6-18 mos)	✓ ² (15-18 mos)	✓	✓ (6-18 mos)	✓		✓	✓	✓✓ (2 doses given 6 months apart routinely at age 12-23 months)	✓ ³ COVID-19 vaccine is recommended for everyone age 6 months and older						✓ (6 mos and older)	
15 months			✓ ² (12-15 mos)		✓	✓											
18 months																	
19-23 months									HepA vaccine (2 doses) is also recommended for children and teens not previously vaccinated								
4-6 years		✓		✓			✓	✓									
7-10 years																	
11-12 years		✓ (Tdap)									✓✓✓ ⁴ Dengue vaccine is recommended for certain children	✓✓ ^{5,6}	✓				Influenza vaccine is recommended every year for everyone age 6 months and older
13-15 years																	
16-18 years													✓	✓✓ ^{7,8}			

One dose each fall or winter to all people ages 6 mos and older. Some children younger than age 9 years need 2 doses; ask your child's health-care provider if your child needs more than 1 dose.

- NOTES**
- 1 Your child may not need this dose depending on the brand of vaccine that your healthcare provider uses.
 - 2 This dose of DTaP may be given as early as age 12 months if it has been 6 months since the previous dose.
 - 3 The number of doses is determined by the vaccine brand given.

- 4 Children ages 9 through 16 years who live in Puerto Rico, American Samoa, U.S. Virgin Islands, Federated States of Micronesia, Republic of Marshall Islands, and the Republic of Palau, and have lab-confirmed previous dengue infection are recommended to receive a 3-dose series of dengue vaccine.
- 5 HPV vaccine is routinely given at age 11 or 12 years but may be started at age 9.

- 6 Children with certain medical conditions will need a third dose.
- 7 This vaccine may be given to healthy teens. It is also recommended for adolescents with certain health conditions.
- 8 Your teen may need an additional dose depending on your healthcare provider's recommendation.

